

Index

Bold page numbers indicate where a key term is defined in the text.

A

`<a>` elements, 100–103, 105, 107–108, 210, 374, 384
absolute font size keywords, 202
absolute paths, 81
absolute table widths, 133
absolute units, 196–197
accessibility, 57–59
active class, 258
active link color, 258
active white space, **39–40**, 407
advanced selection techniques, 184–187
align attribute, **100**, 103, 105, 129–130, 139, 146, 153, 155, 242
aligning text and images, 208–209, 249–250
alt attribute, 118–120, 242–244, 264
alternate text-based links, 118–120, 370
animated GIFs, 234–236
animations, 58
applets, 58
attracting users to Web sites, 367–370
attributes and values, 8, 9
auctions, 71
audience, 407
audiences, **72–75**

B

`` element, 100, 152, 154–155, 157, 187, 198, 205, 289, 374, 385
background color, 259–262, 265, 279, 291, 298

background color layer, 255–256
background image layer, 255–256
background images, 267–276, 279–280
background position, 273–274
background properties, 255, 258–260, 262, 267–269, 271–274, 277–281, 291, 400
background repeat, 270
banding, 252, 407
bandwidth, 31
banner class, styling, 220
`<base>` element, 374, 384
`<basefont>` element, 375, 385
basic.htm file, 173–175
Berners-Lee, Tim, 2
blinking text, 210–211
block-level elements, 259, 288–290, 297
`<blockquote>` element, 202, 207, 289, 375, 381
bloggers, 71
blogs, 71
Bobby, 59
body copy, styling, 226–227
`<body>` element, 177–178, 198, 256, 265, 268, 279, 288, 375, 380
border properties, 199, 291, 301–310, 304–306
border property, 242, 249, 291, 293, 301, 309
border shortcut property, 182
border shorthand property, 301, 308
borders, 301–310
Bos, Bert, 197

box model, 290–295, 298–300, 407
box properties, 317–319, 398–399
boxtest1.htm file, 317–319
`
` element, 344, 347, 375, 381
browsers
backward compatibility, 12
caching capabilities, 18
canvas area, 13
compatibility issues, 13–15
CSS (Cascading Style Sheets) support, 5
displaying tables, 140
interpreting tags, 13
legacy, 15
operating systems and, 24
parser, 13
plug-ins, 16
proprietary HTML elements, 13, 14
protocols, 79
style sheets, 177
testing pages in, 13, 16
testing with multiple, 365
W3C standards support, 14
XHTML, 7
browser-safe colors, **253**, 407
browser-safe hexadecimal colors, 255
browser-specific coding, 16
business ISP accounts, 362

C

cable modems, 17, 361
cache, **18**, 407

- canvas area, **13**, 407
 - <caption> element, 127, 375, 382
 - cascade, 407
 - CAST (Center for Applied Special Technology), 59
 - catalog structure, 89
 - catalog Web sites, 71–72
 - cellpadding, 137
 - cells, 126–127, 138–142
 - cellspacing, 137
 - center alignment, 209
 - <center> element, 375, 385
 - centered background images, 274–275
 - centered design, 22
 - CERN (European Laboratory for Particle Physics), 2
 - CGI (Common Gateway Interface), 326–327, 407
 - CGI scripts, 327
 - check boxes, 330–331, 333, 345–346
 - child elements, **178**, 198, 288, 407
 - class attributes, 184–187, 219, 224–225, 227, 250, 374
 - class identifiers, 262
 - class selectors, 184–186
 - classification properties, 401
 - clear property, 314–316
 - clip art, 240
 - code, 138
 - coding, 15–16, 18–23
 - col element, 128
 - colgroup element, 128
 - collapsing margins, 297
 - color channel, 252
 - color depth, 234, **252**, 407
 - color property, 255, 257–258
 - colors
 - active link, 258
 - adding to Web page, 262–266
 - background color, 258–260, 279
 - banding, 252
 - borders, 257, 307–309
 - browser-safe colors, **253**
 - color depth, 252
 - controlling properties with CSS, 256–262
 - default text, 258
 - dithering, **252–253**
 - element layers, 255–256
 - links, 258
 - monitors, 252–256
 - names, 254
 - predefined names, 307
 - RGB color values, 254–255
 - specifying values, 257–258
 - testing, 253
 - text reverse, 261
 - Web palette, **253**
 - wise use of, 253
 - columns, 130, 150–151
 - combining declarations, 180
 - <!--comment text--> element, 374
 - comments, 138, 172–173, 217
 - compatibility, testing for, 30
 - complete URL (Uniform Resource Locator), **79**, 407
 - connection speeds, 17–18, 31
 - containing box, **288**, 407
 - content, 70–72
 - content box, 290–292
 - content layer, 255–256
 - contextual links, **112–113**, 407
 - contextual selectors, 180
 - copy class, 226
 - core attributes, 374, 407
 - cross-browser compatible pages, 15–16
 - cross-platform compatibility, 3
 - CSS (Cascading Style Sheets), 2, **4–5**, 11, 126, 407
 - absolute units, 196–197
 - background images, 267–276
 - color properties, 256–262
 - color values, 254–255
 - comments, 172–173
 - hexadecimal color values, 255
 - measurement units, 196–198, 401
 - notation reference, 392
 - percentages, 198
 - property reference, 392–396
 - reference, 391–405
 - relative units, 196–197
 - RGB color values, 254–255
 - style rules, 170–173
 - style sheets cascade, 175–178
 - Web browser support for, 5
 - XHTML, 11–12
 - XHTML Strict, 6
 - .css extension, 172
 - CSS font properties, 200–206
 - CSS properties, 242, 248–250
 - CSS text properties, 200
 - CSS text spacing properties, 206–216
 - CSS visual formatting model, 288
 - CSS2, 11
 - cursive fonts, 201, 407
 - custom event button, 334–335
 - customized block-level elements, 186
 - customized inline elements, 187
 - cutting-edge coding, 16
-

D

data, multiple ways of displaying, 7

database administrators, 76

declaration, **170**, 407

default.htm file, 78

densely packed documents, 56

deprecated elements, **14**, 408

descendant selection, 259

descendant selectors, 180

designing

- accessibility, 57–59
- browsers or applications, 6
- for computers, 30–40
- for monitors, 60–62
- Web sites, 30–34

designing for user

- amount of content, 57
- flat hierarchy, 52–53
- guiding user's eye, 48–56
- hypertext linking, 53–56
- interaction, 43–46
- location, 47–48

development team, 75–76

digital cameras, 239

digital watermarking, 71, 240

directories, structure for, 79–83

display software and operating systems, 24

dithering, **252–253**, 408

<div> element, 100, 103, 105, 139, 186, 204, 219–220, 222, 224–225, 375, 380

document declaration, 8

document relationships, 172

documents

- converting to HTML, 12
- default language, 208
- default size, 202
- inline elements, 186–187

- logical divisions, 186
- section names, 219
- styling multiple, 178
- well-formed, 8
- XML declaration, 8

domain names, 80, 362

DOS and Windows 3.x filenames, 77

downloads, improving time, 18

DSL (Digital Subscriber Line), 17, 361

E

e-commerce Web sites, 71–72

elements

- background color, 259–260
- background images, 269
- borders, 301–310
- case sensitive names, 8, 9
- content boxes, 288
- core attributes, **184**, 374
- default display information, 289
- defining style for single, 171
- deprecated, **14**
- display type, 289
- empty, 8, 9
- font size, 197
- foreground color, 257
- formatting, 385
- frame, 385
- global structure, 380–381
- hiding, 289
- hierarchical structure, 178
- horizontal width, 311
- inclusion, 384
- inheritance, 177–178
- layers, 255–256
- links, 384
- lists, 382
- nesting symmetrically, 8

- padding area, 259
- positioning, 312
- predefined set of, 6
- selecting, 184
- style rules, 176
- style sheet, 384
- table, 382–383
- text, 381–382
- vertical height, 311–312

em measurement value, 196–197

 element, 187, 375, 381

e-mail addresses, 361

end tags requirements, 8, 9

ex unit, 196, 198

external document fragments, linking to, 107–109

external style sheets, 172–173

extranets, **72**, 408

F

fantasy fonts, 201, 408

feature article cell, 146–147

feedback form, 72–74, 366–367

<fieldset> element, 340–341, 344, 347

file extensions, 78

filenames, 76–79

files

- linking to, 101–102
- naming, 77
- publishing, 79
- relative structure, 81
- uploading, 363–364

firewalls, 361

first-level heading, 3

fixed design, 18–19

fixed tables, 132–133, 135–136, 139

flat hierarchy, 52–53

flexible design, 20–21

float property, 242, 264, 312

floatbox class, 312–314
 floated elements, flowing text around, 314–316
 floating images, 250
 floating text boxes, 310, 312–314
 font and text properties, 396–397
 font and text properties style sheets, 216–228
 element, 217, 220, 375, 385
 font family, 193, 200–201
 font properties, 175, 200–205, 227–228
 font shortcut property, 205–206
 font substitution attributes, 194
 font substitution string, 201
 fonts, **192**, 408
 cursive, 201
 fantasy, 201
 fewer, 192
 fixed-width, 201
 height of lowercase letter x, 198
 horizontal length of capital letter M, 197
 list of alternate, 201
 monospace, 201
 operating systems, 24
 percentages, 198
 problems with, 193
 properties in one statement, 205–206
 sans-serif, 193, 195, 201
 serif, 193, 195, 200
 sizes, 193, 225
 sizing, 202
 style, 203–204
 use of available, 193–194
 variant, 204–205
 weight, 205
 x-height, 195
 foreground color, 257

form controls, **328**, 408
 <form> element, 327–328, 343–344
 formalizing user testing, 366
 formatting elements, 385
 form.htm file, 344
 forms
 attributes, 327–328
 basic elements, 327
 building, 326, 341–351
 check boxes, 330–331, 345–346
 custom event button, 334–335
 formatting, 341
 formatting tags, 326
 image for submit button, 335
 input elements, 326
 input groupings, 340–341
 input objects, 328–341
 letting user submit file, 335–336
 list boxes, 337–338, 345–346
 operation of, 326–327
 password entry field, 336
 radio buttons, 331–333, 346
 reset button, 333–334, 348–351
 scrollable list, 337–338
 submit button, 348–351
 testing, 351–353
 text area, 339–340
 text boxes, 329–330
 fragment identifier, **102**, 408
 <frame> element, 376
 frame elements, 385
 frames, 6, 58, 369–370
 <frameset> element, 376, 385
 free utility software, 361
 FTP (File Transfer Protocol), 361, 363–364, 408

G

gateway router, 361
 generic font families, 200–201

GIF (Graphics Interchange Format), 234–236, 240, 252–253, 408
 GIF Construction Set Professional, 236
 .gif file extension, 78, 235
 GIF files, 78, 195
 global structure elements, 380–381
 glossaries, 56
 glyph.jpg file, 277
 graphics
 See also images
 avoiding use of text as, 195–196
 cell width, 151
 interlacing, 238
 linking, 114–120
 minimizing download time, 114
 navigation, 94, 114–120
 number, 17
 professional-quality, 241
 progressive display, 238
 reusing, 18
 sizing, 17, 247–248
 graphics file formats, 234–238
 graphics tool, choosing, 240–241
 greeking, 140
 grids, **38**, 408

H

<h1> element, 3, 174, 177, 182, 185, 222–223, 269, 288–289, 318
 <h2> element, 101, 182, 225, 314, 318
 <h3> element, 182, 318–319
 <head> element, 178, 376, 381
 <head> section, 170–171, **174**
 headings, 3
 headline class, 223
 headlines, styling, 222–224

- hexadecimal colors,
 - browser-safe, 255
 - hiding elements, 289
 - high color, 252
 - home.htm file, 78
 - horizontal repeating background graphic, 271
 - `<hr>` element, 377, 385
 - href attribute, 103, **105**, 108, 172
 - .htm file extension, 78
 - HTML (Hypertext Markup Language), **1**, 408
 - browsers interpreting, 13
 - converting documents to, 12
 - cross-platform compatibility, 3
 - generating code, 12–13
 - history of, 2
 - legacy code, 9–10
 - limitations, 3
 - markup tags, 3
 - migrating to XHTML, 5, 11–12
 - predefined set of elements, 6
 - progression of, 2
 - versions, 5–13
 - HTML editors, 3, 12–13, 98, 361
 - `<html>` element, 178, 377, 381
 - .html file extension, 78
 - HTML Tidy, 10
 - HTML-authoring packages, 12
 - HTTP (Hypertext Transfer Protocol), 326, 360
 - hyperlinks, 5, 94
 - hypertext, **5**, 55–56, 94, 96, 408
 - hypertext links, 53–56, 58, 210
 - I**
 - `<i>` element, 221, 289, 377, 385
 - ICANN (Internet Corporation for Assigned Names and Numbers), 362
 - icon-based navigation bar, 117
 - images
 - See also* graphics
 - accessibility, 58
 - adding to Web page, 262–266
 - adjusting right margin, 264
 - aligning, 213–214, 249–250, 312
 - alternate text, 242–243
 - borrowing from other Web sites, 240
 - as character in line of text, 241
 - clickable links, 53–56
 - clip art, 240
 - CSS properties, 248–250
 - digital cameras, 239
 - displaying, 241
 - dithering, **252–253**
 - floating, 250
 - height, 244–247
 - misalignment, 138
 - nondithering colors, 253
 - public domain Web sites, 239
 - removing hypertext border, 248–249
 - scanners, 239
 - sources for, 239–240
 - special box properties, 310
 - stock photo collections, 239
 - submit button, 335
 - user-created, 240
 - vertical height, 312
 - white space around, 250
 - width, 244–247, 311
 - wrapping text around, 264
 - `` element, 118–120, 138, **152**, 154–155, 214, 241–248, 244, 250, 262–266, 312, 377, 384
 - !important keyword, **176**, 407
 - inclusion elements, 384
 - indenting text, 207–208
 - index file, 78
 - Index page, 98
 - index.htm file, 78, 98
 - information, 32–34, 84–89, 96
 - information designers, 76
 - inheritance, 177–178, 208
 - Inherited category, 199
 - Initial category, 199
 - inline boxes, 288
 - inline content boxes, 288
 - inline elements, 186–187, 212–214, 259, 289
 - inline-level elements, 288
 - `<input>` elements, 326, 328–336, 340–341, 344–347
 - input objects, 328–341
 - interlacing, **237**, 238, 408
 - internal navigation bar, 104–106
 - intranets, **16**, **72**, 408
 - introduction class, 186
 - IP addresses, 362
 - ISDN (Integrated Services Digital Network)
 - connections, 17
 - ISO (International Standards Organization), 77–78
 - ISO 369 two-letter language codes, 402–405
 - ISPs (Internet service providers), 360–363, 408
 - italic text, 203–204
 - J**
 - JPEG (Joint Photographic Experts Group), 78, 236, 240, 252, 408
 - .jpeg file extension, 78
 - JPG file, 195
 - .jpg file extension, 78
 - justified text, 209
-

K

Kerning, 214–215
 keywords, 202

L

LAN (local area network), 72
 language codes, 208
 Latin text, 110
 leading, 211–212
 left alignment, 209
 legacy browsers, 15
 <legend> element, 344
 letter spacing, 214–215, 223–224
 letter-spacing property, 214–215
 element, 377, 382
 Lie, Hakon, 197
 line height, 211–212, 224
 linear structure, 84
 line-height property, 211–212, 226
 link class, 258
 link column cells, 148–149
 <link> element, 172, 378, 384
 linking
 collection of pages, 113
 to external document fragments, 107–109
 to external style sheet, 172
 graphics, 114–120
 individual files, 101–102
 internal, 102–104
 with text navigation bar, 98–101
 links, 5, 53–56
 changing colors, 258
 protocols, 79
 testing Web sites, 365
 text-based navigation, 97–98
 list boxes, 337–338, 346
 list elements, 382
 list-item elements, 288

lists, 337–339
Literary Machines (Nelson), 94
 logo class, 187
 look and feel, 30

M

Macintosh, 24, 77, 194, 238
 main.htm file, 78
 margin properties, 264, 270–272, 280, 294–295
 margin property, 250, 291, 293–295
 margins, 293–297
 marketing, 76
 markup language, **3**, 408
 mars.htm file, 277–281
 measurement units, 401
 mesh, 2
 <meta> elements, 368–369, 378, 381
 metalanguage, **6**, 408
 MNG (Multiple-image Network Graphics format), 237
 monitors, 60–62
 color, 252–256
 operating systems, 24
 screen resolution, 18
 monospace, 201, 409
 multimedia, 58

N

name attribute, 103, 105, 107, 330–332, 345, 347, 368–369
 navigation, 52–56, 94–98, 114–120
 navigation bar, 98–101, 104–106, 110–112, 117
 negative margins, 295–297
 Nelson, Ted, 94
 nesting tables, 140–142
 <noframe> element, 369–370, 378, 385

nonprofit organization Web sites, 71
 nonrepeating background images, 271–272
 numeric and character entities, 386–390

O

oblique text, 203–204
 element, 378, 382
 online shopping Web sites, 71–72
 operating systems, 24, 193, 365
 <optgroup> element, 339
 <option> element, 337, 347
 oz1.htm file, 180–183
 oz.htm file, 180

P

<p> element, 155, 170, 175–176, 178, 180, 183–185, 198, 201, 207–208, 226–227, 257–259, 276, 288–289, 291, 378, 381
 padding, 298–299
 padding properties, 269, 291, 293, 298–300
 page banner cell, 146
 page templates
 basic table structure, 143–144
 completing and testing, 152–159
 creation of, 143–159
 examples, 159–164
 feature article cell, 146–147
 fixed width, 145
 link column cells, 148–149
 page banner cell, 146
 setting column widths, 150–151
 three-column main sectioned template, 163–164
 three-column template, 160–162
 three-column with banner template, 162

- two-column template, 159–160
 - two-column with banner template, 160
 - page turners, 110–112
 - paragraph background color, 291
 - parent elements, **178**, 288, 409
 - parser, **13**, 409
 - partial URLs (Uniform Resource Locators), **79**, 81, 409
 - passive white space, **39**, 409
 - PC and fonts, 194
 - PC Webopedia, **6**, 94
 - period (.) flag character, 184
 - personal ISP accounts, 362
 - pixels, 198
 - placeholder text, 110
 - plug-ins, **16**, 58, 409
 - PNG (Portable Network Graphics), 240, 252–253, 409
 - .png file extension, 78
 - PNG (Portable Network Graphics) files, 78, 237
 - POP3 (Post Office Protocol 3) account, 361
 - POPs (points of presence), 360, 409
 - portable designs, 30
 - portals, 71
 - <pre> element, 378, 382
 - predefined color names, 307
 - processing instruction, 8, 409
 - professional-quality graphics, 241
 - progressive display, 238
 - properties, **170**–171, 396–397, 409
 - property descriptions, 199
 - property reference, 392–396
 - protocols, 79
 - public domain Web sites, 239
 - public interest Web sites, 71
 - publishing files, 79
 - publishing Web sites, 360–364
- R**
- radio buttons, 331–333, 346
 - raster graphics, **238**, 409
 - refining and updating content, 367
 - registering domain names, 362
 - regular telephone line connections, 17
 - relative file structure, 81–83
 - relative paths, 81
 - relative table widths, 132–133
 - relative units, 196–197
 - reset button, 333–334, 348–351
 - resolution, 198
 - reverse, 261
 - RGB color values, 252, 254–255
 - right alignment, 209
 - rows, 126–127, 131–132
- S**
- sample form.htm file, 344–353
 - sans-serif fonts, 193, 195, 201, 409
 - scanners, 239
 - screen resolutions, 18–23, 135, 409
 - screen-based viewing pattern, 51–52
 - screens, 60
 - screens resolution, 61
 - scripts, 58
 - scrolling
 - list of selectable options, 337–338
 - table of contents, 102
 - search engines, 71, **368**–370, 409
 - <select> element, 337–338, 347
 - selection techniques, 180–186
 - selectors, **170**, 179–180, 184–186, 409
 - serif fonts, 193, 195, 200, 409
 - server administrators, 75
 - SGML (Standard Generalized Markup Language), **2**, 409
 - shareware, **75**, 361, 409
 - site map, 53
 - Site Map page, 98
 - site specification, **70**
 - sitemap.htm file, 98
 - small capitals, 204–205, 227–228
 - smooth transitions, 36–37
 - software, 15, **75**
 - software programmers, 76
 - spacing
 - tables, 136–137
 - text, 206–215
 - element, 186–187, 204–205, 227–228, 280, 378, 381
 - spanning columns, 130
 - spanning rows, 131–132
 - special box properties, 310–316
 - special class, 184–185
 - special interest Web sites, 71
 - SQL (Structured Query Language), 362, 409
 - SSL (Secure Sockets Layer), 362, 409
 - stacking tables, 140
 - standardized coding, 15
 - stock photo collections, 239
 - stock trading, 71
 - storyboards, 83–89
 - element, 378, 382
 - style attribute, 171, 184, 205, 249–250, 264–265, 314, 374
 - <style> element, 170–174, 174, 182, 219–220, 378, 384
 - style elements, 3–4
 - style rules, **170**–173, 410
 - applying, 184
 - assigning weight to, 176–177
 - background color, 259–261, 279
 - background image, 275–276

- border style, 309
- centering elements, 317
- color, 257–258
- combining declarations, 180
- combining with XHTML, 171–172
- comments, 173
- containing, 182, 219
- declaration, **170**
- descendant selection, 259
- element selectors, 177
- elements, 176
- external style sheets, 172
- font and text properties style sheet, 217
- font substitution string, 201
- !import keyword, 176
- inheritance, 178
- italic text, 204–205
- margin settings, 293
- meaningful names, 185
- nonrepeating background image, 275
- selector, **170**
- style sheet, 177
- superscript, 213
- text, 226–227, 261
- type selectors, **179**
- word spacing, 215
- style sheet element, 384
- style sheets, **4**, 170, 172–178, 410
 - font and text properties, 216–228
 - need for, 3–5
 - required, 10–11
- styles, 219
- styles.css external style sheet, 172
- <sub> element, 378, 382
- subhead, 224–225
- subhead class, 225
- submit button, 333–335, 348–351
- subscript, 212–214
- <sup> element, 378, 382
- superscript, 212–214
- superscript class, 213
- SVG (Scalable Vector Graphics), **237–238**, 409
- T**
- T1 connections, 17
- <table> element, 126–127, 129, 144–145, 157, 261, 379, 382
- table elements, 128, 217, 382–383
- table of contents, 102, 104–109
- Table of Contents page, 98–104
- tables, 7, 38
 - absolute widths, 21, 133
 - accessibility, 58
 - adding white space, 135–136
 - background color, 261–262
 - basic structure, 143–144
 - borders, 127
 - captions, 127
 - cell-level attributes, 129–130
 - cells, 126–127
 - centering, 139
 - column widths, 150–151
 - default spacing, 136–137
 - defining attributes, 128–130
 - deprecated attributes, 129
 - easy to read code, 138
 - elements, 126–130
 - extra spaces, 138–139
 - feature article cell, 146–147
 - fixed width, 132–133, 135–136, 143, 145
 - formatting, 132–137
 - forms, 326, 341–343
 - global attributes, 129
 - header cell, 127
 - information about, 126
- joining cells, 136
- link column cells, 148–149
- nesting, 140–142
- page banner cell, 146
- precedence of attributes, 130
- print-like design structures, 126
- relative width, 132–133
- row and cell placeholders, 144
- row-level attributes, 129
- rows, 126–127
- spanning columns, 130
- spanning rows, 131–132
- stacking, 140
- top-aligning content, 152
- variable widths, 21
- tagline class, 221–222
- tbody element, 128
- <tc> element, 126–127
- <td> element, 129–130, 153, 155, 261, 379, 383
- technical support, 361
- technology, 74
- template.htm file, 143–159
- templates, 126, 143–159
- testing
 - for compatibility, 30
 - forms, 351–353
 - Web sites, 365–367
- text
 - aligning, 208–209
 - aligning images and, 213–214, 249–250
 - alternate, 242–244
 - avoiding use as graphics, 195–196
 - blinking, 210–211
 - clickable links, 53–56
 - default color, 258
 - flow around floated elements, 314–316

indenting, 207–208
 italic, 203–204
 leading, 211–212
 legibility, 195, 212, 268, 295
 letter spacing, 214–215
 margins, 293–297
 oblique, 203–204
 spacing, 206–215
 underlining, 210–211
 vertical alignment, 212–214
 word spacing, 215–216
 wrapping around image, 264
 text area, 339–340
 text boxes, 312, 329–330
 text elements, 381–382
 text images and navigation, 114
 text navigation bar, 98–101, 111
 text properties, 207–211, 226
 text reverse, 261, 279
 <textarea> element, 339–340
 text-based links, 115, 118–120
 text-based navigation, 97–98
 tfoot element, 128
 <th> element, 127–128, 261, 379, 383
 themes, 34
 three clicks rule, 52–53
 three-column main sectioned template, 163–164
 three-column sectioned template, 163
 three-column template, 160–162
 three-column with banner template, 162
 Tidy GUI, 10
 tiling background images, 267, 269
 title attribute, 184, 242–244, 264, 374
 <title> element, 368, 380–381
 topic links, 107, 109

<tr> element, 126–127, 129, 152, 261, 380, 383
 trains.jpg image, 245
 transitions, 36–37
 <tt> element, 380, 385
 tutorial structure, 85
 two-column template, 159–160
 two-column with banner template, 160
 two-letter language codes, 402–404
 .txt file extension, 78
 type design principles, 192–196
 type family, 192
 type selectors, **179**, 410
 typefaces, **192**, 410

U

<u> element, 380, 385
 element, 178, 380, 382
 underlining text, 210–211
 unified site design, 34, 36–40
 UNIX, 24, 77, 194
 unvisited link color, 258
 uploading files, 363–364
 URLs (Uniform Resource Locators), 18, 76–**79**, 81, 268–269, 370, 410
 user testing, formalizing, 366
 user-created images, 240
 users
 accessibility, 57–59
 attracting to Web site, 367–370
 designing for, 41–59
 exact viewing path, 47–48
 feedback form, 366–367
 guiding eye, 48–56
 interaction with, 43–46
 knowing, 41
 paper-based reading pattern, 49–50

profiling, 41
 screen-based viewing pattern, 51–52
 style sheets, 176–177
 testing Web sites, 366–367

V

value, **170**, 410
 value attribute, 329, 333, 347
 Value category, 199
 vector graphics, **238**, 410
 vertical repeat, 270
 vertical-align property, 212–214, 249
 virtual galleries, 71
 visited class, 258
 visited link color, 258
 visual properties, 400
 visual structure, 38

W

W3C (World Wide Web Consortium), **2**, 15, 58, 410
 W3C SVG page, 238
 W3C Web site, 3, 373, 391
 W3C XHTML
 recommendation, 6
 warning class, 205
 watermark effect, 271, 274–275
 Web design environment, 13–16
 Web hosting service, 410
 Web hosting service provider, 360–362
 Web pages
 adding image and color information to, 262–267
 amount of content, 57
 background color, 260, 279
 centering, 22
 centering tables, 139
 connection speed differences, 17–18

- controlling length, 96
 - cross-browser compatible, 15–16
 - graphics, 17, 247–248
 - grids, 38
 - mixing style information, 4
 - organization and accessibility, 58
 - scalable, 197
 - standardized coding, 15
 - templates, 143–159
 - tiling images in background, 269
 - watermark, 274–275
 - Web palette, **253**, 410
 - Web servers, 18, 79–83, **360**, 364, 410
 - Web sites
 - alt text with images, 370
 - analyzing audience, 72–75
 - attracting users to, 367–370
 - backing up files, 363
 - basic site design, 70
 - billboard, 70
 - blogs, 71
 - borrowing images from, 240
 - browser-specific coding, 16
 - catalog, 71–72, 89
 - centered design, 22
 - cluster structure, 88
 - content goal, 70–72
 - controlling page length, 96
 - cutting-edge coding, 16
 - designing, 30–34, 41–59
 - e-commerce, 71–72
 - extranets, 72
 - feedback form, 72–74, 366–367
 - fixed design, 18–19
 - flat hierarchy, 52–53
 - flexible design, 20–21
 - frames, 369–370
 - hierarchical structure, 87
 - intranets, 72
 - limiting information
 - overload, 96
 - linear structure, 84
 - meaningful titles, 368
 - <meta> elements, 368–369
 - navigation structure, 36
 - nonprofit organization, 71
 - ongoing maintenance, 367
 - online shopping, 71–72
 - organizing information
 - structure, 84
 - portals, 71
 - product support, 72
 - public interest, 71
 - publicizing, 367
 - publishing, 71, 360–364
 - refining and updating
 - content, 367
 - relative file structure, 81–83
 - search engines, 368
 - simple, 75
 - site map, 53
 - site specification, 70
 - software requirements, 75
 - software tools, 75
 - special interest, 71
 - tables, 38
 - technology issues and
 - constraints, 74
 - testing, 365–367
 - tutorial structure, 85
 - unified design, 34–40
 - virtual galleries, 71
 - Web structure, 86
 - Web structure, 86
 - Weblogs, 71
 - webnews1.htm file, 216–228
 - webnews.htm file, 216
 - well-formed documents, **8**, 410
 - white background, 279
 - white space, 39–40, 135–136, 250
 - width attribute, 129–130, 133, 145, 150–151, 242, 244–247, 264, 311
 - Windows, 24, 77, 238
 - World Wide Web, 2
 - WYSIWYG (What You See Is What You Get) layout tool, 3
- X**
- x-height, 195
 - XHTML (Extensible Hypertext Markup Language), 2, **5–7**, 408
 - backward compatibility, 12
 - coding conventions, 11
 - combining CSS style rules
 - with, 171–172
 - CSS, 11–12
 - elements display type
 - categories, 288
 - evaluating code, 11
 - evaluating display information, 11
 - hyperlinks, 94
 - migrating from HTML to, 5–13
 - reference, 373–389
 - required style sheets, 10–11
 - stricter syntax rules, 10
 - style characteristics, 170–173
 - syntax rules, 8–10
 - XML declaration, 8
 - XHTML coders, 76
 - XHTML documents, 10, 177–178
 - XHTML Frameset, 6
 - XHTML Strict, 6
 - XHTML Transitional, 6
 - XML (Extensible Markup Language), 2, 6–7, 9–11
 - XML tags, 8
 - XSL (Extensible Style Language), 11

Creating a professional website is now an important skill for organisations of all sizes. This textbook provides the student with the skills to build websites according to modern design practices and professional standards.

In particular it covers:

- Planning the site content and navigation
- Designing with the user in mind
- Everything you need to know about web standards – (X)HTML, DTDs and more
- Cascading Style Sheets – formatting text, colours and backgrounds, using the box model and page layout
- Web graphics and how to optimise them
- The site development process from start to finish
- Getting your pages on the Web – hosting, domain names and FTP

Exercises are included to help students learn various techniques, whilst short quizzes ensure that they are fully aware of key concepts.

ISBN 0619216662



NCC Education

To learn more about NCC Education, our programmes, affiliations and partnerships please visit our website www.nccedu.com

For any other enquiries please contact one of our regional offices:

UK & Europe - Tel **+44 (0) 161 438 6200** | Africa and the Caribbean - Tel **+27 (0) 21 913 8928**

East Asia - Tel **+86 (0) 10 6518 9327** | Middle East and South Asia - Tel **+971 (0) 4 391 2727**

South East Asia - Tel **+60 (0) 37 710 5755**

www.nccedu.com

Education 
Innovative. Individual. Inspirational.